

Carbon Monoxide Gas Sensor

(Model: ME4-CO)

Manual

Version: 1.2

Valid from: 2014-05-01

Zhengzhou Winsen Electronics Technology Co., Ltd

Statement

This manual copyright belongs Zhengzhou Winsen Electronics Technology Co., LTD. Without the written permission, any part of this manual shall not be copied, translated, stored in database or retrieval system, also can't spread through electronic, copying, record ways.

Thanks for purchasing our product. In order to let customers use it better and reduce the faults caused by misuse, please read the manual carefully and operate it correctly in accordance with the instructions. If users disobey the terms or remove, disassemble, change the components inside of the sensor, we shall not be responsible for the loss.

The specific such as color, appearance, sizes &etc, please in kind prevail.

We are devoting ourselves to products development and technical innovation, so we reserve the

right to improve the products without notice. Please confirm it is the valid version before using this

manual. At the same time, users' comments on optimized using way are welcome.

Please keep the manual properly, in order to get help if you have questions during the usage in the future.

Zhengzhou Winsen Electronics Technology CO., LTD

炜盛科技Zhengzhou Winsen Electronics Technology Co., Ltd

ME4-CO Carbon Monoxide Gas Sensor

Profile

Winsen

ME4-CO carbon monoxide gas sensor is constant potential electrolysis type. Oxidation-reduction reaction with carbon monoxide and oxygen take place respectively on the working electrode and on the counter electrode. The process releases electric charge and generates current. The current is in direct proportion to the concentration of carbon monoxide. So the concentration of the target gas could be got by measuring the value of current.



Features

Low consumption, high precision, high sensitivity, wide linear range, good anti-interference ability, excellent repeatability and stability.

Stable 1.

Main applications

It is used for carbon monoxide detection in industrial occasions such as petroleum and petrochemical occasions, metallurgy, mine and environmental protection.

Technical Parameters

Detection Gas	Carbon monoxide (CO)	
Detection Range	0~1000ppm	
Max Range	1500ppm	
Sensitivity	(0.080±0.02) µA/ppm	
Resolution	1ppm	
Response Time (T90)	≤25S	
Bias voltage	0mV	
Load Resistance	10Ω	
Repeatability	<2% Output	
Output Linearity	linear	
Stability (/month)	<5%	
Zero drift (-20°C~40°C)	9ppm	
Temperature range	-20°C~50°C	
Humidity range	15 % ~90 % RH	
Pressure range	Standard atmospheric pressure ±10 %	
Lifespan	2years (in air)	





Fig1.Sensor Structure




<u> 炜盛科技Zhengzhou Winsen Electronics Technology Co., Ltd</u>

Basic Circuit



MCP1700 OR HT7330 OR SE5119 C5 0.1uF 3V Vin Vout NC VDD GND C+ GND C-NC NC VOUT C8 30 C10 C9 MAX660 luF ĺuF .C11 Battery 10ul ■10uF








Fig6.Zero output of sensor at different temperature



科技Zhengzhou Winsen Electronics Technology Co., Ltd

Cross Interference

ME4-CO sensor also can respond to other gases besides target gas CO. Following data are the response characteristics of the sensor to interferential gases at certain concentration for your reference.

Stable2. Cross interference		
Interferential Gas	Concentration	ME4-CO
H ₂ S	100ppm	0ppm
SO ₂	20ppm	0ppm
H ₂	200ppm	100ppm
C_2H_4	100ppm	100ppm
NO	35ppm	9ppm
NO ₂	5ppm	2ppm

Cautions!

- Tin soldering is prohibited.
- Before using, power on to aging for more than 48 hours is necessary.
- Pins can't be broke off or bent.
- Don't disassemble the sensor to avoid the damage caused by electrolyte leakage.
- Avoid contacting organic solvent (including Silicone rubber and other adhesive), coatings, medicine, oil and high concentration gases.
- All the electrochemical sensors shall not be encapsulated completely by resin materials, and shall not immerse in pure oxygen environment, otherwise, it will damage the function of sensor
- All electrochemical sensors shall not be applied in corrosive gas environment, or the sensor will be damaged
- Zero calibration should be finished in clean air.
- During test and usage, sensors should avoid the gas inflow vertically
- The side for inflow can't be choked and polluted.
- The laminating film above the sensor surface can't be uncovered and damage.
- Excessive impact or vibration should be avoided
- It takes some time for the sensor to return to normal state after it is applied in high concentration gas
- Working electrode and reference electrode of the sensor shall be in short circuit when stored
- Prohibit to use the hot cement or sealant of which the curing temperature is higher than 80 °C

to make the capsulation for the sensor.

Winsen

Prohibit storage and usage for long time in alkaline gases with high concentration.

炜盛科技Zhengzhou Winsen Electronics Technology Co., Ltd

Do not use the sensor when the shell is damaged

Zhengzhou Winsen Electronics Technology Co., Ltd Add.: NO.299 Jin Suo Road, National Hi-Tech Zone, Zhengzhou, 450001 China Tel.: 0086-371-67169097 67169670 Fax:0371-60932988 E-mail:sales@winsensor.com