Email: sales@winsensor.com



# MEMS Hydrogen Sulfide/H2S Gas Sensor

(Model No.: GM-602B)

# Manual

Version: 1.1

Valid from: 2017-05-10

Zhengzhou Winsen Electronics Technology Co., Ltd

# Statement

This manual copyright belongs to Zhengzhou Winsen Electronics Technology Co., LTD. Without the written permission, any part of this manual shall not be copied, translated, stored in database or retrieval system, also can't spread through electronic, copying, record ways.

Thanks for purchasing our product. In order to let customers use it better and reduce the faults caused by misuse, please read the manual carefully and operate it correctly in accordance with the instructions. If users disobey the terms or remove, disassemble, change the components inside of the sensor, we shall not be responsible for the loss.

The specific such as color, appearance, sizes &etc, please in kind prevail.

We are devoting ourselves to products development and technical innovation, so we reserve the right to improve the products without notice. Please confirm it is the valid version before using this manual. At the same time, users' comments on optimized using way are welcome.

Please keep the manual properly, in order to get help if you have questions during the usage in the future.


Zhengzhou Winsen Electronics Technology CO., LTD



# **GM-602B MEMS H2S Gas Sensor**

# **Product description**

MEMS H2S gas sensor is using MEMS micro-fabrication hot plate on a Si substrate base, gas-sensitive materials used in the clean air with low conductivity metal oxide semiconductor material. When the sensor exposed to gas atmosphere, the conductivity is changing as the detected gas concentration in the air. The higher the concentration of the gas, the higher the conductivity. Use simple circuit can convert the change of conductivity of the gas concentration corresponding to the output signal.



# Character

MEMS technology, Strong construction High sensitivity to H2S gases Small sizes and low power consumption Fast response and resume Simple drive circuit, Long lifespan

# **Application**

Portable and fixed type hydrogen sulfide monitor, and H2S detector


#### **Parameters** Stable1.


Part No.			GM-602B
Sensor Type			MEMS
Standard Encapsulation			Ceramic
Detection Gas			H2S & Benzene etc.
Detection Range			0.5~50ppm (H <sub>2</sub> S)
Standard Circuit  Conditions	Loop Voltage	V <sub>C</sub>	≤24V DC
	Heater Voltage	V <sub>H</sub>	1.9V±0.1V AC or DC
	Load Resistance	$R_L$	Adjustable
Sensor character under standard test conditions	Heater Resistance	R <sub>H</sub>	80Ω±20Ω (room temperature)
	Heater consumption	P <sub>H</sub>	≤40mW
	sensitive materials resistance	Rs	1Κ $\Omega{\sim}$ 30Κ $\Omega$ (in 50ppm H $_2$ S )
	Sensitivity	S	R <sub>0</sub> (in air)/Rs(in 50ppm H <sub>2</sub> S)≥3
	Concentration Slope	α	≤0.6(R <sub>200ppm</sub> /R <sub>50ppmH2S</sub> )
Standard test conditions	Temp. Humidity		20°C±2°C; 55%±5%RH
	Standard test circuit		V <sub>H</sub> :1.9V±0.1V; V <sub>C</sub> :5.0V±0.1V

**Sensor Structure Diagram** 

Tel: 86-371-67169097/67169670 Fax: 86-371-60932988 Email: <a href="mailto:sales@winsensor.com">sales@winsensor.com</a>







Pins	Connection	
1	R <sub>H1</sub>	
2		
3	R <sub>H2</sub>	
4		
(5)	R <sub>S1</sub>	
6		
7	R <sub>S2</sub>	
8)		

Fig1.Sensor structure

# **Basic Circuit**





Fig2. GM-602B test circuit


Instructions: The above fig is the basic test circuit of GM-602B. The sensor requires two voltage inputs: heater voltage  $(V_H)$  and circuit voltage  $(V_C)$ .  $V_H$  is used to supply specific working temperature to the sensor and it can adopt DC or AC power. Vout is the voltage of load resistance R<sub>L</sub> which is in series with sensor. Vc supplies the detect voltage to load resistance  $R_L$  and it should adopt DC power.

# Sensor's Characteristics:



# Fig3. Typical Sensitivity Curve

Rs means resistance in target gas with different concentration, R<sub>0</sub> means resistance of sensor in clean air. All tests are finished under standard test conditions.



# Fig4.Typical temperature/humidity characteristics

Rs means resistance of sensor in 50ppm hydrogen sulfide (H<sub>2</sub>S) under different temp. and humidity. Rso means resistance of the sensor in 50ppm H2S under 20°C/55%RH.

# Voltage output(V)




Fig5.Responce and Resume

The output in above Fig is the voltage of RL which is in series with sensor. All tests are finished under standard test conditions and the test gas is 50ppm H2S.




Fig6. Linearity character

The output in above Fig is the voltage of RL which is in series with sensor. All tests are finished under standard test conditions.

# Long-term stability:

Email: sales@winsensor.com




Fig7.long-term Stability

Test is finished in standard test condition, the abscissa is observing time and the ordinate is voltage output of RL.

#### Instructions:

# 1. Preheating time

Sensor's resistance may drift reversibly after long-term storage without power. It need to preheat the sensor to reach inside chemical equilibrium. Preheating voltage is same with heating voltage V<sub>H</sub>. The suggested preheating time as follow:

Storage Time	Suggested aging time	
Less than one month	No less than 48 hours	
1 ~ 6 months	No less than 72 hours	
More than six months	No less than 168 hours	

# 2. Calibration

Sensor's accuracy is effected by many factors such as reference resistance's difference, the sensitivity difference, temperature, humidity, interfering gases, preheating time, the relationship between input and output is not linear, hysteretic and non-repetitive. For absolute concentration measurement, they need regular calibration (one-point calibration / multi-points calibration for full scale) to ensure that the measuring value is accurate. For relative measurement calibration is not required.

# **Cautions**

# 1 .Following conditions must be prohibited

1.1 Exposed to organic silicon steam

Sensing material will lose sensitivity and never recover if the sensor absorbs organic silicon steam. Sensors must be avoid exposing to silicon bond, fixature, silicon latex, putty or plastic contain silicon environment.

1.2 High Corrosive gas

If the sensors are exposed to high concentration corrosive gas (such as H2S, SOX, Cl2, HCL etc.), it will not only result in corrosion of sensors structure, also it cause sincere sensitivity attenuation.

1.3 Alkali, Alkali metals salt, halogen pollution



The sensors performance will be changed badly if sensors be sprayed polluted by alkali metals salt especially brine, or be exposed to halogen such as fluorine.

#### 1.4 Touch water

Sensitivity of the sensors will be reduced when spattered or dipped in water.

#### 1.5 Freezing

Do avoid icing on sensor's surface, otherwise sensing material will be broken and lost sensitivity.

#### 1.6 Applied voltage

Applied voltage on sensor should not be higher than 120mW, it will cause irreversible heater damaged, also hurt from static, so anti-static precautions should be taken when touching sensors.

#### 2 .Following conditions must be avoided

#### 2.1 Water Condensation

Indoor conditions, slight water condensation will influence sensors' performance lightly. However, if water condensation on sensors surface and keep a certain period, sensors' sensitive will be decreased.

## 2.2 Used in high gas concentration

No matter the sensor is electrified or not, if it is placed in high gas concentration for long time, sensors characteristic will be affected. If lighter gas sprays the sensor, it will cause extremely damage.

### 2.3 Long time exposed to extreme environment

No matter the sensors electrified or not, if exposed to adverse environment for long time, such as high humidity, high temperature, or high pollution etc., it will influence the sensors' performance badly.

#### 2.4 Vibration

Continual vibration will result in sensors down-lead response then break. In transportation or assembling line, pneumatic screwdriver/ultrasonic welding machine can lead this vibration.

#### 2.5 Concussion

If sensors meet strong concussion, it may lead its lead wire disconnected.

#### 2.6 Soldering

Soldering flux: Rosin soldering flux contains least chlorine and safeguard procedures.

If disobey the above using terms, sensors sensitivity will be reduced.

Zhengzhou Winsen Electronics Technology

Add: No.299, Jinsuo Road, National Hi-Tech Zone, Zhengzhou 450001 China

Email: sales@winsensor.com

**Tel:** +86-371-67169097/67169670

Fax: +86-371-60932988

E-mail: sales@winsensor.com

Website: www.winsen-sensor.cor

